KERALA STATE AIDS CONTROL SOCIETY REDCROSS ROAD, THIRUVANANTHAPURAM-695035

TENDER DOCUMENT FOR CENTRIFUGE

Date of Submission : Upto 12 noon on -16/02/2023

Date of Opening : 3 p.m. on 16/02/2023

KERALA STATE AIDS CONTROL SOCIETY

4294/PS/2022/KSACS Tender No. Tender documents for the work of : Installation and supply of Centrifuge Issued to M/s./Shri. To be returned on or before (To be filled by Tenderer) Name of tenderer (In full) : Address Phone No Details of EMD remitted Rs.2500/-Name of the Bank & Branch Demand Draft No. and date Amount Tender submitted on Signature of Tenderer Date: Note: The tenderer should sign in all pages of the tender documents including

Specification.

Sealed competitive Tenders are invited by the undersigned from the Agencies for the supply of Centrifuge to ICTC Centers . The specifications of the item mentioned in **Annexure I**

1. Ouoted Price

- **a.** All duties, taxes, other levies, labour charges, installation charges & transportation charges payable by the bidder should be included in the item rate.
- **b.** The rate quoted for item will be fixed for the duration of the contract and shall not be subject to adjustments.
- **c.** Rates for partial quantity of an item is not acceptable;
- **d.** Corrections, if any, shall be made by crossing out, initialing, dating and rewriting.
- e. Telex and Facsimile or email tender are not acceptable.

2. Each bidder must submit only one tender.

3. Validity of tender

The tender shall remain valid for a period not less than 15 days after the deadline fixed for submission of tender or otherwise decided by the Project Director, Kerala State AIDS Control Society, Thiruvananthapuram – 35

4. Place & completion time

The work has to be completed within 15 days from the date of Work order as per the locations.

5. Special conditions

0.5% of the total amount quoted for each item will be deducted for each weeks delay, for the corresponding item, after the specified date.

6. Evaluation of tender

KSACS will evaluate and compare the tender determined to be substantially responsive ie: which

- a. are properly signed and
- b. conform to the terms and conditions and specifications
- c. the quotation would be evaluated for each work separately.
- d. The bidder who has quoted for the partial quantity of any one or more item(s) would be treated as non-responsive.

7. Award of contract

- a. KSACS will award the contract to the bidder whose tender has been determined to be substantially responsive and who has offered the lowest price.
- b. KSACS reserves the right at the time of awarding contract to increase or decrease the quantities, or award the work partly or jointly.
- c. KSACS prior to the expiration of the tender validity period will notify the bidder whose tender is accepted of the award of contract. The terms of the accepted offer shall be incorporated in the Work order.

- d. Payment will be made only after submitting the invoice in triplicate with necessary stock entry and installation report duly signed by the Officer in Charge or bsed on other valid documents as per existing Rules and Regulations.
- e. Notwithstanding the above, KSACS reserves the right to accept or reject and to cancel the bidding process and reject all tender at any time prior to the award of the contract, without detailing any specified reasons whatsoever.

The financial bid should be submitted in the format given as **Annexure II**

8. All decisions of the Project Director will be final and binding to all in every respect.

9. Preparing of Sealed Tender:

You are requested to submit the <u>sealed Tender</u> super scribed on the envelope as "Tender for the supply and installation of centrifuge"

10. List of centers where the centrifuge to be supplied and installed is given in **Annexure III**

We look forward to receiving your Tender and thank you for interest in this Project.

Yours faithfully,

Dr. Sreelatha R Project Director

Annexure 1-

Specification of Centrifuge

ANNEXURE I

SPECIFICATIONS OF CENTRIFUGE				
Maximum Speed	6000rpm			
Maximum RCF	5070 g			
Maximun Capacity	400ml			
Timer	0 to 99 Min.			
Speed Meter	6000 rpm			
Power Supply	230 volts, ± 10 V, 50Hz,AC			
Noise Level	55 db			
Primary Glass Fuse	5 Amperes			
Width	380 mm			
Depth	470 mm			
Height	300 mm			
Weight (Net)	28 kg			
Weight (Gross)	37 kg			
Operating Temperature	25, ± 2°C			
Operating Humidity	55, ± 5%			
Operating Altitude	2000 meters above MSL			

Annexure 2

Format of financial bid

SI. No.	Name of work	Unit Cost	Quantity	Amount (`)*
1	Centrifuge 8 wells		18.	

^{*} Amount should be inclusive of all duties, taxes, other levies, labour charges, installation charges & transportation charges

Annexure 3

List of centres to supply Centrifuge					
			Quantity to		
Sl. No.	Dist.	Name Of Center	Supply		
		Central Prison,			
1	Thiruvananthapuram	Poojapppura	1		
2	Kollam	THQH Punalur	1		
3	Pathananthitta	DH Kozenchery	1		
4	Alappuzaha	THQH Thuravoor	1		
5	Kottayam	MCH Kottayam	1		
6	Ernakulam	W &C Mattacherry	1		
7		Gen Hospital Ernakulam	1		
8		THQH Thripunithura	1		
9		DH Thodupuzha	1		
10	Idukky	THQH Peermade	1		
11		CHC Upputhura	1		
12		CHC Allappad	1		
13	Palakkad	DH Palakkad	1		
14		Mobile ICTC	1		
15	Malappuram	Govt. MC Manjeri	1		
16	Kozhikode	CHC Mukkom	1		
17	Kasargod	Gen Hospital Kasargode	1		
18		THQH Mangalpady	1		

TOTAL 18